

# Work Order ID 65801

Wednesday, January 26, 2011 10:43:25 AM

Page 1

Item ID: D350-567-031

Accept

Revision ID:

Item Name: Interior Floor Window (Sliding Door Compatible)

Start Date: 1/26/2011 Start Qty: 1.00

Required Date: 2/7/2011 Req'd Qty: 1.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

N/A

Rev D

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy blue file and create labels per PPP D350-567-031 chg001

8/11/03

110

0.00



Packaging

Packaging

Memo

0.00

Packaging

Pick Packing Kit

☐

\*\*\*ENSURE DT 8439 TEMPLATE IS INCLUDED\*\*\*

11/2/03

120

0.00



QC4- 100% Inspect kits for completeness

QC

Memo

0.00

Quality Control

8/11/03

(TD)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 65801**

Wednesday, January 26, 2011 10:43:25 AM

Page 2

Item ID: D350-567-031

Accept

Revision ID:

Item Name: Interior Floor Window (Sliding Door Compatible)

Start Date: 1/26/2011 Start Qty: 1.00

Required Date: 2/7/2011 Req'd Qty: 1.00

Reference:

Cust Item ID:



Customer:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 	Packaging	0.00							
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-567-031								
	Location: <u>60</u>								
	PPP Rev: <u>B</u>								
140 	QC21- Final Inspection - Work Order Release	0.00							
QC	Memo	0.00							
Quality Control									

PPP 65800

11/21/35

10

11/02/04

ME

11-02-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Wednesday, January 26, 2011 10:43:31 AM

Page 1

Work Order ID: 65801

Parent Item: D350-567-031

Parent Item Name: Interior Floor Window (Sliding Door Compatible)

Start Date: 1/26/2011

Required Date: 2/7/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A new issue 08-04-25 DD verified by: LL  
IPP Rev:B 08-10-07 as per revD DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN526C632R12

Purchased

No

120

Each

221.0000

8



Screw

## Location

## Loc Qty

## Loc Code

ST326

221

114240

8

115422

13

116583

200

AN960JD6

NAS1149DN632J Purchased

No

120

Each

419.0000

8



Washer

## Location

## Loc Qty

## Loc Code

ST347

419

104537

419

D2463

Manufactured

No

120

f

487.6005

3.75



Seal

## Location

## Loc Qty

## Loc Code

ST404

487.60053

55561

1.68

62597

0.00053

64944

485.92

(D2463-0450) CUT (1) AT 45.00" ASPER DWG

\*\*\*PER-KIT\*\*\*

measure  
→ 5 11/16 1/2

11/2/25

3

11/2/25

11/2/25

3.75

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Page 2

Wednesday, January 26, 2011 10:43:31 AM

Work Order ID: 65801



Parent Item: D350-567-031



Parent Item Name: Interior Floor Window (Sliding Door Compatible)

Start Date: 1/26/2011

Required Date: 2/7/2011

Start Qty: 1.00

Required Qty: 1.00

D3210-1

Manufactured No

120 Each

1.0000

1



Doubler



nk/sp

Location

Loc Qty

Loc Code

ST210

1

56328

1

D3211-1

Manufactured No

120 Each

5.0000

1



Bracket



nk/sp

sp

Location

Loc Qty

Loc Code

ST211

5

62832

5

D3212-1

Manufactured No

120 Each

9.0000

1



Floor Window



nk/sp

sp

Location

Loc Qty

Loc Code

ST210

9

53737

9

D3213-041

Manufactured No

120 Each

3.0000

1



Door Assembly



nk/sp

sp

Location

Loc Qty

Loc Code

ST211

3

60891

3

DT8439

Manufactured No

120 Each

0.0000

1



template



nk/sp

sp

Wednesday, January 26, 2011 10:43:32 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

Wednesday, January 26, 2011 10:43:32 AM

Page 3

Work Order ID: 65801

Parent Item: D350-567-031

Parent Item Name: Interior Floor Window (Sliding Door Compatible)

Start Date: 1/26/2011

Required Date: 2/7/2011

Start Qty: 1.00

Required Qty: 1.00

MS20470AD4-5

Purchased

No

120

Each

1,262.000

40

40



Rivet, Universal Head



1 1/2 1/2 sf

## Location

## Loc Qty

## Loc Code

ST319

1262

116410

1262

MS20470AD4-6

Purchased

No

120

Each

2,869.000

90

90



Rivet, Universal Head



1 1/2 1/2 SD

## Location

## Loc Qty

## Loc Code

ST319

2723

116391

2723

ST320

146

114988

146

MS20470AD4-7

Purchased

No

120

Each

1,681.000

20

20



Rivet, Universal Head



1 1/2 1/2 sf

## Location

## Loc Qty

## Loc Code

ST320

1681

115996

381

116081

1300

MS21042L06

Purchased

No

120

Each

255.0000

8

8



Nut



1 1/2 1/2 sf

## Location

## Loc Qty

## Loc Code

ST300

55

116082

55

ST301

200

116549

200

8

Wednesday, January 26, 2011 10:43:32 AM

Shop Packet Print

Page 3

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

## 5.0 PARTS LIST

Qty -015	Qty -017	Qty -025	Qty -027	Qty -111	Qty -117	Part Number	Description
X						D350-567-015	FLOOR WINDOW INSTALLATION (SMALL)
	X					D350-567-017	FLOOR WINDOW INSTALLATION (SMALL)
		X				D350-567-025	FLOOR WINDOW INSTALLATION (LARGE)
			X			D350-567-027	FLOOR WINDOW INSTALLATION (LARGE)
				X		D350-567-111	FLOOR WINDOW INSTALLATION (EXTRA LARGE)
					X	D350-567-117	FLOOR WINDOW INSTALLATION (EXTRA LARGE)
1	1					D350-567-013	REPLACEMENT WINDOW KIT (SMALL)
		1	1			D350-567-023	REPLACEMENT WINDOW KIT (LARGE)
				1	1	D350-567-113	REPLACEMENT WINDOW KIT (EXTRA LARGE)
	1		1	1		D350-567-115	INTERIOR FLOOR WINDOW KIT
1		1			1	D350-567-031	INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE)

Qty -013	Qty -023	Qty -113	Qty -115	Qty -031	Part Number	Description
X					D350-567-013	REPLACEMENT WINDOW KIT (SMALL)
	X				D350-567-023	REPLACEMENT WINDOW KIT (LARGE)
		X			D350-567-113	REPLACEMENT WINDOW KIT (EXTRA LARGE)
			X		D350-567-115	INTERIOR FLOOR WINDOW KIT
				X	D350-567-031	INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE)
1					D2125	REPLACEMENT WINDOW, SMALL
	1				D2942	REPLACEMENT WINDOW, LARGE
		1			D3290-041	REPLACEMENT WINDOW ASSEMBLY, EXTRA LARGE
1					D2126-0600	SEAL
	1				D2463-0750	NEOPRENE SEAL
		1			D2463-0860	NEOPRENE SEAL
	9	12			2600-6	1/4 TURN FASTENER
	9	12			2600-LW	WASHER
	9	12			212-12	RECEPTACLE
	22	21			AN526C832R9	SCREW (OR AN526C832-9, OR MS51957-126)
	44	42			AN960JD8	WASHER
	22	21			MS21042L08	NUT (OR MS21042-08)
	18	24			MS20426AD3-5	RIVET
2 SQ. YD	2 SQ. YD	2 SQ. YD			N/A	9.7oz 7781 'S' GLASS UNIVERSAL WEAVE
				1	D2463-0450	NEOPRENE SEAL
				1	D3210-1	DOUBLER
				1	D3211-1	BRACKET
				1	D3212-1	FLOOR WINDOW
				1	D3213-041	DOOR ASSEMBLY
			1		D3293-1	DOUBLER
			1		D3294-1	BRACKET
			1		D3295-041	FLOOR WINDOW
			1		D3296-041	DOOR ASSEMBLY
			1		D2463-0530	NEOPRENE SEAL
			9	8	AN526C632R12	SCREW (OR AN526C632-12, OR MS51957-32)
			9	8	AN960JD6	WASHER
			9	8	MS21042L06	NUT (OR MS21042-06)
			2	40	MS20470AD4-5	RIVET
			115	90	MS20470AD4-6	RIVET
			15	20	MS20470AD4-7	RIVET